

Critical Water Year Type			
Month	Existing Flow Requirement*	Cannabis Policy Flow Requirement	Effective Flow Requirement
November	8 cfs	58 cfs	58 cfs
December	8 cfs	62 cfs	62 cfs
January	8 cfs	62 cfs	62 cfs
February	8 cfs	62 cfs	62 cfs
March	9 cfs	63 cfs	63 cfs

Dry Water Year Type			
Month	Existing Flow Requirement*	Cannabis Policy Flow Requirement	Effective Flow Requirement
November	9 cfs	58 cfs	58 cfs
December	9 cfs	62 cfs	62 cfs
January	9 cfs	62 cfs	62 cfs
February	9 cfs	62 cfs	62 cfs
March	10 cfs	63 cfs	63 cfs

Below Normal Water Year Type			
Month	Existing Flow Requirement*	Cannabis Policy Flow Requirement	Effective Flow Requirement
November	10 cfs	58 cfs	58 cfs
December	10 cfs	62 cfs	62 cfs
January	10 cfs	62 cfs	62 cfs
February	10 cfs	62 cfs	62 cfs
March	11 cfs	63 cfs	63 cfs

Above Normal Water Year Type			
Month	Existing Flow Requirement*	Cannabis Policy Flow Requirement	Effective Flow Requirement
November	11 cfs	58 cfs	58 cfs
December	11 cfs	62 cfs	62 cfs
January	11 cfs	62 cfs	62 cfs
February	11 cfs	62 cfs	62 cfs
March	13 cfs	63 cfs	63 cfs

Wet Water Year Type			
Month	Existing Flow Requirement*	Cannabis Policy Flow Requirement	Effective Flow Requirement
November	13 cfs	58 cfs	58 cfs
December	13 cfs	62 cfs	62 cfs

January	13 cfs	62 cfs	62 cfs
February	13 cfs	62 cfs	62 cfs
March	15 cfs	63 cfs	63 cfs

*Federal Energy Regulatory Commission has issued a new license to Placer County Water Agency, which asserts minimum instream flow requirement below French Meadows Dam on the Middle Fork American River as summarized in the above table. A compliance gage has not been identified for this stream section. Please contact the State Water Resources Control Board for further guidance.

Web Link to FERC License:

[FERC License #P-2079 Middle Fork American River Project](#)